

Profili sponda

Side board profiles

16
—
17




RE-ALL

LEGA 6060 - T6 - S/25mm.


ALLOY 6060 - T6 - Th.25mm

MONOPROFILO


SINGLE PROFILE




Art.	Lungh. Length	Kg/ml.
H. 200		
17-00000	7500	2,700
<i>H. 200</i>		




Art.	Lungh. Length	Kg/ml.
H. 400	6250	
16-00006		4,757
<i>H. 400</i>	7650	




Art.	Lungh. Length	Kg/ml.
H. 400	6250	
16-00008	6750	4,500
<i>H. 400</i>	7650	



Art.	Lungh. Length	Kg/ml.
H. 400	6250	
16-00009	6750	4,754
<i>H. 400</i>	7650	



Art.	Lungh. Length	Kg/ml.
H. 400	6100	
16-00010	6750	4,593
<i>H. 400</i>	7650	






Art.	Lungh. Length	Kg/ml.
H. 400	4500	
16-00012	6250	4,406
	6750	
<i>H. 400</i>	7650	

LEGA 6060 - T6 - S/25mm.

ALLOY 6060 - T6 - Th.25mm





MONOPROFILO

SINGLE PROFILE

								
Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
H. 400	4500		H. 400	6100		H. 357		
16-00014	6250	6,160	16-00015		6,790	16-00100		3,873
H. 400	6750		H. 400	6750		H. 357		

MONOPROFILO (A RICHIESTA)

SINGLE PROFILE (ON DEMAND)


											
Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
H. 400			H. 350			H. 400			H. 350		
16-00002		4,317	16-00004		3,920	16-00005		4,130	16-00020		3,630

LEGA 6060 - T6 - S/25mm.


ALLOY 6060 - T6 - Th.25mm

PROFILO SUPERIORE


HIGHER PROFILE




Art.	Lungh. Length	Kg/ml.
H.200 Arrotondato (2 posizioni) per il perno		
17-00001	6750	2,919
<i>H. 200 Rounded (2 position) for pin</i>	7650	




Art.	Lungh. Length	Kg/ml.
H.194,5 Arrotondato rinforzato	6100	
17-00005	6750	2,919
<i>H.194,5 Rounded reinforced</i>	7650	




Art.	Lungh. Length	Kg/ml.
H. 200 Con gancio		
17-00007		2,500
<i>H. 200 With hook</i>		



Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00002	6750	2,280
<i>H. 200</i>	7650	



Art.	Lungh. Length	Kg/ml.
H. 150	6100	
17-00004		1,805
<i>H. 150</i>	7650	



Art.	Lungh. Length	Kg/ml.
H. 100	6100	
17-00006	6750	1,350
<i>H. 100</i>	7650	


SIDE BOARD PROFILES

LEGA 6060 - T6 - S/25mm.


ALLOY 6060 - T6 - Th.25mm

PROFILO INTERMEDIO


INTERMEDIATE PROFILE




Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00008	6750	2,354
<i>H. 200</i>	7650	



Art.	Lungh. Length	Kg/ml.
H. 150	6100	
17-00010		1,798
<i>H. 150</i>	7650	



Art.	Lungh. Length	Kg/ml.
H. 100	6100	
17-00012	6750	1,328
<i>H. 100</i>	7650	



Art.	Lungh. Length	Kg/ml.
H. 200 spessore differenziato	6100	
17-00009		2,830
<i>H. 200 different thickness</i>	7650	

Art.	Lungh. Length	Kg/ml.




Art.	Lungh. Length	Kg/ml.

LEGA 6060 - T6 - S/25mm.

ALLOY 6060 - T6 - Th.25mm

PROFILO TIR

TIR PROFILE



Art.	Lungh. Length	Kg/ml.
H.200 scatolato con gancio	6100	
17-00013	6750	2,581
H.200 with hook	7650	

Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00014	6750	2,190
H. 200	7650	

Art.	Lungh. Length	Kg/ml.
H. 150		
17-00016	7650	1,667
H. 150		

Art.	Lungh. Length	Kg/ml.

Art.	Lungh. Length	Kg/ml.




Art.	Lungh. Length	Kg/ml.

LEGA 6060 - T6 - S/25mm.

ALLOY 6060 - T6 - Th.25mm

PROFILO INFERIORE




LOWER PROFILE



Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00022	6750	2,555
H. 200	7650	

Art.	Lungh. Length	Kg/ml.
H. 150	6100	
17-00018		1,996
H. 150	7650	

Art.	Lungh. Length	Kg/ml.
H. 100	6100	
17-00017		1,500
H. 100	7650	



Art.	Lungh. Length	Kg/ml.
H. 200 con ala contrario	6100	
17-00024	6750	2,627
H. 200 (cotrary wing)	7650	

Art.	Lungh. Length	Kg/ml.
H. 215 con sede per guarnizione	6100	
17-00026	6750	2,530
H. 215 with housing for seal	7650	


Art.	Lungh. Length	Kg/ml.
H. 200 chiuso	6100	
17-00028		2,448
H. 200 closed	7650	

LEGA 6060 - T6 - S/25mm.


ALLOY 6060 - T6 - Th.25mm

PROFILO INFERIORE


LOWER PROFILE




Art.	Lungh. Length	Kg/ml.
H.100 sovrasponda speciale		
17-00029/S	7650	2,207
<i>H.100 for extension side board special</i>		



Art.	Lungh. Length	Kg/ml.
H.200 Sovrasponda		
17-00027	7650	2,682
<i>H.200 for extension side board</i>		



Art.	Lungh. Length	Kg/ml.
H.100+45 ribaltabile	6100	
17-00023	6750	3,470
<i>H.100+45 for tippers</i>	7650	



Art.	Lungh. Length	Kg/ml.
H.200+45 ribaltabile	6100	
17-00025		4,609
<i>H.200+45 for tippers</i>	7650	




LEGA 6060 - T6 - S/25mm.




T R 1

ALLOY 6060 - T6 - Th.25mm

PROFILO SUPERIORE

HIGHER PROFILE

								
Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
H. 200	6100		H. 150			H. 100		
17-00300	6750	2,455	17-00304	7650	2,103	17-00306	6750	1,436
H. 200	7650		H. 150			H. 100	7650	

								
Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
H. 194 arrotondato			H. 200 arrotondato 2 posizioni			H. 200 arrotondato		
17-00302	6750	2,835	17-00303		3,066	17-00301	6750	2,907
H. 194 rounded	7650		H. 200 rounded			H. 200 rounded	7650	


LEGA 6060 - T6 - S/25mm.

T R 1


ALLOY 6060 - T6 - Th.25mm

PROFILO INTERMEDIO


INTERMEDIATE PROFILE



Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00308	6750	2,366
H. 200	7650	




Art.	Lungh. Length	Kg/ml.
H. 150		
17-00310		1,747
H. 150		




Art.	Lungh. Length	Kg/ml.
H. 100		
17-00312	6750	1,540
H. 100	7650	

PROFILO TIR


TIR PROFILE



Art.	Lungh. Length	Kg/ml.
H. 200		
17-00314	6750	1,839
H. 200	7650	



Art.	Lungh. Length	Kg/ml.
H.200 scatolato con gancio	6100	
17-00315	6750	2,640
H.200 with hook	7650	



Art.	Lungh. Length	Kg/ml.


LEGA 6060 - T6 - S/25mm.

T R 1


ALLOY 6060 - T6 - Th.25mm

PROFILO INFERIORE


LOWER PROFILE




Art.	Lungh. Length	Kg/ml.
H. 150		
17-00318	7650	2,160
H. 150		



Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00322	6750	2,514
H. 200	7650	



Art.	Lungh. Length	Kg/ml.
H. 200 con ala contraria		
17-00324	6750	2,389
H. 200 contrary wing	7650	



Art.	Lungh. Length	Kg/ml.
H.220 con sede per guarnizione	6100	
17-00326	6750	2,826
H.220 with housing for seal	7650	

A
R
I
C
H
I
E
S
T
A

Art.	Lungh. Length	Kg/ml.
H. 200 chiuso		
17-00328		2,236
H. 200 closed		

O
N
D
E
M
A
N
D

Art.	Lungh. Length	Kg/ml.


LEGA 6060 - T6 - S/25mm.

T R 1


ALLOY 6060 - T6 - Th.25mm

PROFILO INFERIORE


LOWER PROFILE



Art.	Lungh. Length	Kg/ml.
H.100+45 ribaltabile		
17-00331	6750	3,332
<i>H.100+45 for tippers</i>	7650	



Art.	Lungh. Length	Kg/ml.
H.200+45 ribaltabile		
17-00330	6750	4,368
<i>H.200+45 for tippers</i>	7650	



Art.	Lungh. Length	Kg/ml.
H.200 per sovrasponde		
17-00332	6750	2,653
<i>H.200 for extension side board</i>	7650	

Art.	Lungh. Length	Kg/ml.

Art.	Lungh. Length	Kg/ml.


Art.	Lungh. Length	Kg/ml.

LEGA 6060 - T6 - S/25mm.


ALLOY 6060 - T6 - Th.25mm

PROFILO STECCA


PROFILE FOR CURTAINS



Art.	Lungh. Length	Kg/ml.
	4300	
17-00031	6000	1,065
	6750	
	7650	




Art.	Lungh. Length	Kg/ml.
17-00032	6000	1,530
	6750	
	7650	



Art.	Lungh. Length	Kg/ml.
17-00033	6000	1,580
	6750	
	7650	

Guarnizione per profili sponda

Seal for aluminium profiles



Art. 49-00026

(Kg./mt.0,040)

Guarnizione sponda per profili (17-00026/17-00326/17-00056/17-00058)

Seal for aluminium profiles (17-00026/17-00326/17-00056/17-00058)










(rotolo / roll mt. 200)

LEGA 6060 - T6 - S/25mm.

ALLOY 6060 - T6 - Th.25mm

TESTATE

SIDE BOARD HEAD



								
Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
17-00034	6000	0,835	17-00036	6000	0,970	17-00038	6000	0,915
								
Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
17-00040	6000	1,220	17-00046	6000	2,172	17-00047	6000	1,490
								
Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
17-00048	6000	1,517	17-00052	7360	1,134	17-00054	7250	1,058

LEGA 6060 - T6 - S/25mm.

ALLOY 6060 - T6 - Th.25mm

TESTATE



SIDE BOARD HEAD



Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
17-00056	6000	0,823	17-00058	6000	0,935			

PROFILO TERMINALE ARROTONDATO


SIDE BOARD HEAD



Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
17-00057	6000	1,161	17-00060	6000	1,400			

PROFILO PER CERNIERA


PROFILE FOR HINGE




Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.	Art.	Lungh. Length	Kg/ml.
17-00050	5005	1,147						

LEGA 6060 - T6 - S/30mm.

ALLOY 6060 - T6 - Th.30mm




Art.	Lungh. Length	Kg/ml.
Testata		
17-00120	6000	1,035
Side board head		




Art.	Lungh. Length	Kg/ml.
Testata con ala spostata		
17-00122	6000	1,120
Side board head		

Art.	Lungh. Length	Kg/ml.




Art.	Lungh. Length	Kg/ml.
Profilo "H"		
17-00126	6000	2,392
"H" profile		



Art.	Lungh. Length	Kg/ml.
Profilo "R"		
17-00128	6000	2,727
"R" profile		

Art.	Lungh. Length	Kg/ml.



Art.	Lungh. Length	Kg/ml.
Stecca	6000	
17-00130		1,310
Prof.for curtains	7650	

Art.	Lungh. Length	Kg/ml.

Art.	Lungh. Length	Kg/ml.


LEGA 6060 - T6 - S/30mm.

ALLOY 6060 - T6 - Th.30mm


(profili con incastro a rotazione e a spessore differenziato)

PROFILO SUPERIORE


HIGHER PROFILE



Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00150		3,045
H. 200	7650	




Art.	Lungh. Length	Kg/ml.
H.193 arrotondato	6100	
17-00152		3,050
H.193 rounded	7650	




Art.	Lungh. Length	Kg/ml.
H.200 arrotondato	6100	
17-00153		3,992
H.200 rounded	7650	

PROFILO INTERMEDIO

INTERMEDIATE PROFILE



Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00158		3,030
H. 200	7650	



Art.	Lungh. Length	Kg/ml.
H. 100		
17-00162	7650	1,660
H. 100		


LEGA 6060 - T6 - S/30mm.

ALLOY 6060 - T6 - Th.30mm


(profili con incastro a rotazione e a spessore differenziato)

PROFILO INFERIORE


LOWER PROFILE




Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00166		3,300
H. 200	7650	




Art.	Lungh. Length	Kg/ml.
H. 200 con ala contraria	6100	
17-00168		3,365
H. 200 contraty wing	7650	




Art.	Lungh. Length	Kg/ml.
H. 200 chiuso		
17-00172	7650	3,150
H. 200 closed		



Art.	Lungh. Length	Kg/ml.
H. 100+50 sovrasponda	6100	
17-00174		2,505
H. 100+50 for extension side board	7650	



Art.	Lungh. Length	Kg/ml.
H. 200 con battuta		
17-00182	7650	3,878
H. 200		



Art.	Lungh. Length	Kg/ml.
H. 200 per ribaltabile		
17-00180	7650	5,018
H. 200 for tippers		


LEGA 6063 - T6 - S/30mm.

T R 5


ALLOY 6063 - T6 - Th.30mm

PROFILO SUPERIORE

HIGHER PROFILE




Art.	Lungh. Length	Kg/ml.
H.200	6100	
17-00202		4,700
H.200	7650	




Art.	Lungh. Length	Kg/ml.
H.150		
17-00204	7650	4,700
H.150		

PROFILO INTERMEDIO

INTERMEDIATE PROFILE



Art.	Lungh. Length	Kg/ml.
H.200	6100	
17-00208		3,340
H.200	7650	



Art.	Lungh. Length	Kg/ml.
H.150		
17-00206	7650	2,794
H.150		


LEGA 6063 - T6 - S/30mm.

T R 5


ALLOY 6063 - T6 - Th.30mm

PROFILO INFERIORE


LOWER PROFILE




Art.	Lungh. Length	Kg/ml.
H. 150		
17-00210		3,450
H. 150		




Art.	Lungh. Length	Kg/ml.
H. 200	6100	
17-00212		3,985
H. 200	7650	




Art.	Lungh. Length	Kg/ml.
H.200 senza ala		
17-00214	7650	3,970
H.200 without wing		



Art.	Lungh. Length	Kg/ml.
H.200 per ribaltabile		
17-00216	7650	5,313
H.200 for tippers		



Art.	Lungh. Length	Kg/ml.




Art.	Lungh. Length	Kg/ml.
Testata		
17-00218	6100	1,817
Side board head		

LEGA 6060 - T6 - S/25mm.

T R 6

ALLOY 6060 - T6 - Th.25mm


A RICHIESTA / ON DEMAND




Art.	Lungh. Length	Kg/ml.
Superiore H.200		
17-00080		2,392
<i>Higher H.200</i>		



Art.	Lungh. Length	Kg/ml.
Intermedio H.200		
17-00086		2,449
<i>Intermediate H.200</i>		



Art.	Lungh. Length	Kg/ml.
Tir H.200		
17-00092		2,190
<i>Tir H.200</i>		



Art.	Lungh. Length	Kg/ml.
Inferiore H.220 con sede per guarniz.		
17-00098		2,764
<i>Lower H.220 with housing for seal</i>		

Art.	Lungh. Length	Kg/ml.

Art.	Lungh. Length	Kg/ml.